Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK)

SAFETY DATA SHEET

Date of issue/Date of revision

: 31 January 2014



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: JOHNSTONES TRADE Ecological Vinyl Silk Emulsion
Product code	: 00301725
Other means of identification	: Not available.

1.2 Relevant identified uses of the substance or mixture and uses advised against		
Product use	: Consumer applications, Professional applications, Used by spraying.	
Use of the substance/	: Coating.	

1.3 Details of the supplier of the safety data sheet

PPG Architectural Coatings UK Ltd Huddersfield Road Birstall, West Yorkshire WF179XA United Kingdom +44 (0) 1924 354000 Fax: +44 (0) 1924 354533

- e-mail address of person : regulatoryaffairs@ppg.com responsible for this SDS
- 1.4 Emergency telephone number

Supplier

mixture

 Telephone number
 :

 +44 (0) 1924 354000
 :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

Classification according to Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification

: Not classified.

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	

Code	: 00301725	Date of issue/Date of revision	: 31 January 2014
JOHNSTON	ES TRADE Ecological Vinyl Silk Emu	Ision	

SECTION 2: Hazards identification

General	: Keep out of reach of children. If medical advice is needed, have product container or
	label at hand.
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazardous ingredients	: Not applicable.
Supplemental label	: 🖉 ontains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Safety
elements	data sheet available on request.
Special packaging requiren	nents
Containers to be fitted	: Not applicable.
with child-resistant fastenings	
•	. Not applicable
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Other hazards which do	: None known.

not result in classification

SECTION 3: Composition/information on ingredients

Substance/mixture

: Mixture

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

SUB codes represent substances without registered CAS Numbers.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
Inhalation	 Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	 Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
4.2 Most important sympton	is and effects, both acute and delayed
Potential acute health effe	<u>xts</u>

Eye contact	No known significant effects or critical hazards.	
Inhalation	No known significant effects or critical hazards.	
Skin contact	No known significant effects or critical hazards.	

Code : 00301725	Date of issue/Date of revision : 31 January 2014
JOHNSTONES TRADE Ecolog	ical Vinyl Silk Emulsion
SECTION 4: First aid	measures
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sympto	<u>oms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
4.3 Indication of any immediat	e medical attention and special treatment needed
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
SECTION 5: Firefight	ing measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising fro	om the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
5.3 Advice for firefighters	
Special precautions for fire- fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	

Code	: 00301725	Date of issue/Date of revision	: 31 January 2014
JOHNSTONE	S TRADE Ecological Vinyl Silk Emu	Ision	

SECTION 6: Accidental release measures

6.2 Environmental	1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains
precautions		and sewers. Inform the relevant authorities if the product has caused environmental
		pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	 See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Storage temperature: 5 to 25°C (41 to 77°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

Code	: 00301725	Date of issue/Date of revision	: 31 January 2014
JOHNSTONE	ES TRADE Ecological Vinyl Silk Emul	sion	

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs

DNELs - Not available.

PNECs

1

PNECs - Not available.

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Individual protection measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Eye/face protection : Safety glasses with side shields. Skin protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Gloves : nitrile rubber, butyl rubber, PVC, Viton® Body protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Other skin protection : Appropriate footwear and any additional skin protection measures should be approved by a specialist before handling this product. Respiratory protection : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a property fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates	English (GB)	United Kingdom (UK)	5/11
controlscontaminants.Individual protection measuresWash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection: Safety glasses with side shields.Skin protection: Safety glasses with side shields.Hand protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.Gloves: nitrile rubber, butyl rubber, PVC, Viton®Body protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	Respiratory protection :	hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates the	
controlscontaminants.Individual protection measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection: Safety glasses with side shields.Skin protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.Gloves: nitrile rubber, butyl rubber, PVC, Viton®Body protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist	·	selected based on the task being performed and the risks involved and should b approved by a specialist before handling this product.	
controlscontaminants.Individual protection measuresWash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protectionSafety glasses with side shields.Skin protectionChemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.	Body protection :	being performed and the risks involved and should be approved by a specialist	k
controlscontaminants.Individual protection measuresWash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection: Safety glasses with side shields.Skin protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates	Gloves :	nitrile rubber, butyl rubber, PVC, Viton®	
controlscontaminants.Individual protection measuresWash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection:Safety glasses with side shields.		be worn at all times when handling chemical products if a risk assessment indica	
controls contaminants. Individual protection measures Hygiene measures Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	•		
controls contaminants. Individual protection measures Figure measures Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and	Eye/face protection :	Safety glasses with side shields.	
controls contaminants.		eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated cloth Wash contaminated clothing before reusing. Ensure that eyewash stations and	
		contaminanto.	
		S	rne

Code	: 00301725	Date of issue/Date of revision	: 31 January 2014
JOHNSTON	NES TRADE Ecological Vinyl Silk Emu	ulsion	

SECTION 8: Exposure controls/personal protection

Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some
	cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical	ar	nd chemical properties
<u>Appearance</u>		
Physical state	1	Liquid.
Colour	1	Various
Odour	1	Faint odour.
Odour threshold	1	Not available.
рН	1	8
Melting point/freezing point	1	Not available.
Initial boiling point and boiling range	:	>37.78°C
Flash point	:	Closed cup: Not applicable. [Product does not sustain combustion.]
Evaporation rate	1	Not available.
Material supports combustion.	:	No.
Flammability (solid, gas)	1	Not available.
Upper/lower flammability or explosive limits	:	Upper: 0%
Vapour pressure	:	Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.07 kPa (23.03 mm Hg) (at 20°C)
Vapour density	:	Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentane-1,3-diol).
Relative density	:	1.18
Solubility(ies)	1	Partially soluble in the following materials: cold water.
Partition coefficient: n-octanol/ water	:	Not available.
Auto-ignition temperature	1	Not available.
Decomposition temperature	1	Not available.
Viscosity	:	Not Applicable
Explosive properties	:	Not available.
Oxidising properties	:	Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity	
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.

English (GB) United Kingdom (UK) 6/	n (UK) 6/11
-------------------------------------	-------------

United Kingdom (UK)	
Code : 00301725 JOHNSTONES TRADE Ecolog	Date of issue/Date of revision : 31 January 2014 gical Vinyl Silk Emulsion : 31 January 2014
SECTION 10: Stabilit	y and reactivity
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.
	Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
10.6 Hazardous decomposition products	: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Specie	es Dose	Exposure
titanium dioxide	LD50 Oral	_D50 Oral Rat >		-
Conclusion/Summary	: Not available.			
Acute toxicity estimates				
	Route		ATE va	lue
Not available.				
Irritation/Corrosion				
Conclusion/Summary	: Not available.			
<u>Sensitiser</u>				
Conclusion/Summary	: Not available.			
Mutagenicity				
Conclusion/Summary	: Not available.			
Carcinogenicity				
Conclusion/Summary	: Not available.			
Reproductive toxicity				
Conclusion/Summary	: Not available.			
Teratogenicity				
Conclusion/Summary	: Not available.			
Specific target organ toxicity	<u>y (single exposure)</u>			
Not available.				
Specific target organ toxicity	<u>y (repeated exposure)</u>			
Not available.				
Aspiration hazard				
Not available.				
Information on the likely routes of exposure	: Not available.			
Potential acute health effect	S			
Inhalation	 No known significant effects 	or critical haza	irds.	
Ingestion	: No known significant effects			
Skin contact	: No known significant effects			
English (OD)	المراجع المراجع	ingdons (LUZ)		- 14 -
English (GB)	United K	ingdom (UK)		7/11

Code : 00301725	Date of issue/Date of revision : 31 January 2014 gical Vinyl Silk Emulsion
SECTION 11: Toxico	logical information
Eye contact	: No known significant effects or critical hazards.
Symptoms related to the ph	ysical, chemical and toxicological characteristics
Inhalation	: No specific data.
Ingestion	: No specific data.
Skin contact	: No specific data.
Eye contact	: No specific data.
Delayed and immediate effe	cts and also chronic effects from short and long term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	<u>ets</u>
Not available.	
Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Torotogonicity	No known aignifiaent affects ar aritical bezerde

Teratogenicity : No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.Fertility effects: No known significant effects or critical hazards.

Other information : Not available.

There are no data available on the mixture itself. The mixture is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in nonallergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

SECTION 12: Ecological information

Conclusion/Summary: Not available.12.2 Persistence and degradability
Conclusion/Summary: Not available.

12.3 Bioaccumulative potential

Not available.

12.1 Toxicity

12.4 Mobility in soil

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK)

Code	: 00301725	Date of issue/Date of revision	: 31 January 2014	
JOHNSTONES TRADE Ecological Vinyl Silk Emulsion				

SECTION 12: Ecological information

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment			
PBT	÷	Not applicable.	
vPvB	;	Not applicable.	

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

ProductMethods of disposal: The generation of waste should be avoided or minimised wherever possible.
Disposal of this product, solutions and any by-products should at all times comply
with the requirements of environmental protection and waste disposal legislation and
any regional local authority requirements. Dispose of surplus and non-recyclable
products via a licensed waste disposal contractor. Waste should not be disposed of
untreated to the sewer unless fully compliant with the requirements of all authorities
with jurisdiction.Hazardous waste: Within the present knowledge of the supplier, this product is not regarded as
hazardous waste, as defined by EU Directive 91/689/EEC.

European waste catalogue (EWC)

Waste code	Waste designation
08 01 12	waste paint and varnish other than those mentioned in 08 01 11

Packaging

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Type of packaging		European waste catalogue (EWC)
Container Container	15 01 02 15 01 04	plastic packaging metallic packaging
Special precautions		I and its container must be disposed of in a safe way. Empty containers

or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

	ADR/RID	ADN	IMDG	IATA
		7.011		
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
English (GB)		United Kingdom	' (UK)	9/1

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 -**United Kingdom (UK)**

Code : 00301 JOHNSTONES TRAD	725 E Ecological Vinyl Silk	Date of issue/Da Emulsion	te of revision :	31 January 2014
14. Transport	t information			
14.5 Environmental hazards	No.	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.	Not applicable.

Additional information

ADR/RID	: None identified.
ADN	: The product is only regulated as an environmentally hazardous substance when transported in tank vessels.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

SECTION 15: Regulatory information

15.1 Safety, health and enviro	nmental regulations/legislation specific for the substance or mixture
EU Regulation (EC) No. 1907	/2006 (REACH)
Annex XIV - List of substan	ces subject to authorisation
Annex XIV	
None of the components are	e listed.
Substances of very high c	oncern
None of the components are	e listed.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Other EU regulations	
VOC for Ready-for-Use Mixture	 IIA/b. Interior glossy walls and ceilings (Gloss >25@60°). EU limit values: 100g/l (2010.) This product contains a maximum of 3 g/l VOC.
15.2 Chemical Safety Assessment	: No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	4	ATE = Acute Toxicity Estimate
		CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
		1272/2008]
		DNEL = Derived No Effect Level
		EUH statement = CLP-specific Hazard statement
		PNEC = Predicted No Effect Concentration
		RRN = REACH Registration Number
		-

Code : 00301725 Date of issue/Date of revision	: 31 January 2014				
JOHNSTONES TRADE Ecological Vinyl Silk Emulsion					

SECTION 16: Other information

Full text of abbreviated H statements	: Not applicable.
Full text of classifications [CLP/GHS]	: Not applicable.
Full text of abbreviated R phrases	: Not applicable.
Full text of classifications [DSD/DPD]	: Not applicable.
<u>History</u>	
Date of issue/ Date of revision	: 31 January 2014
Date of previous issue	: 8 December 2013
Prepared by	: EHS
Version	: 2
Disalaimar	

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.