

CREOCOTE - LIGHT OR DARK

Page: 1

Compilation date: 06/01/2017

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: CREOCOTE - LIGHT OR DARK

Product code: CRCOGEN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: For use as an outdoor wood preservative on external timbers. Advised against any other

use than those identified.

1.3. Details of the supplier of the safety data sheet

Company name: J.V. Barrett & Co Ltd

St Ivel way Warmley Bristol BS30 8TY

Tel: 01179600060 **Fax:** 01179352437

Email: sales@barrettine.co.uk

United Kingdom

1.4. Emergency telephone number

Emergency tel: +44 (0) 1179 600060 (Office hours only 8am - 5pm Mon- Thurs. 8 am - 4.30 pm Fri.)

+44 (0) 1270 502891 (Out of hours emergency number)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 2: H411; Skin Irrit. 2: H315; STOT RE 2: H373; Asp. Tox. 1: H304; Acute

Tox. 4: H332; Carc. 2: H351

Most important adverse effects: May be fatal if swallowed and enters airways. Causes skin irritation. Harmful if inhaled.

Suspected of causing cancer. May cause damage to organs through prolonged or

repeated exposure. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation. H332: Harmful if inhaled.

H351: Suspected of causing cancer.

H373: May cause damage to organs through prolonged or repeated exposure.

H411: Toxic to aquatic life with long lasting effects.

[cont...]

CREOCOTE - LIGHT OR DARK

Page: 2

Hazard pictograms: GHS07: Exclamation mark

GHS08: Health hazard GHS09: Environmental







Signal words: Danger

Precautionary statements: P260: Do not breathe gas, fume, vapours or spray.

P273: Avoid release to the environment.

P280: Wear protective gloves, eye and face protection.

P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331: Do NOT induce vomiting.

P308+313: IF exposed or concerned: Get medical advice/attention.

P391: Collect spillage.

P403: Store in a well-ventilated place.

P501: Dispose of contents/container to hazardous waste collection point.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

LUBRICATING OILS, USED - REACH registered number(s): 01-2119517646-35-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
274-635-9	70514-12-4	-	Asp. Tox. 1: H304	30-50%

FUELS, DIESEL - REACH registered number(s): 01-2119484664-27-XXXX

269-822-7	68334-30-5	-	Asp. Tox. 1: H304; Acute Tox. 4: H332;	30-50%
			Aquatic Chronic 2: H411; Skin Irrit. 2:	
			H315; STOT RE 2: H373	

Non-classified ingredients:

ASPHALT - REACH registered number(s): 01-2119480172-44-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
232-490-9	8052-42-4	-	-	1-10%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water. Get medical attention promptly if symptoms

occur after washing.

[cont...]

CREOCOTE - LIGHT OR DARK

Page: 3

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If

unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Treat Symptomatically

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Foam. Carbon

dioxide. Dry chemical powder. Do not use water.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. Vapour may travel

considerable distance to source of ignition and flash back.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from

downwind. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

CREOCOTE - LIGHT OR DARK

Page: 4

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Keep away from sources of ignition. Store in a cool, well ventilated area. Keep container

tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

Hazardous ingredients:

FUELS, DIESEL

Type	Exposure	Value	Population	Effect
DNEL	Dermal (repeated dose)	2.8 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation (repeated dose)	68 mg/m3	Workers	Systemic
DNEL	Dermal (repeated dose)	1.3 mg/kg bw/day	Consumers	Systemic
DNEL	Inhalation (repeated dose)	20 mg/m3	Consumers	Systemic
DNEL	Oral (repeated dose)	7.5 mg/kg bw/day	Consumers	Systemic

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid
Colour: Brown

CREOCOTE - LIGHT OR DARK

Page: 5

Odour: Aromatic

Evaporation rate: Volatile

Oxidising: Not applicable.

Solubility in water: Insoluble

Also soluble in: Most organic solvents.

Viscosity: No data available.

Kinematic viscosity: 205 mm2/s

Boiling point/range°C: 150-350 **Melting point/range°C:** No data available.

Flammability limits %: lower: 0.5 upper: 6.5

Flash point°C: >90 CC Part.coeff. n-octanol/water: No data available.

Autoflammability°C: >250 **Vapour pressure:** No data available.

Relative density: 0.90-0.91 pH: No data available.

VOC g/I: No data available.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Flames. Sources of ignition.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids. Natural Rubber

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

CREOCOTE - LIGHT OR DARK

Page: 6

Hazardous ingredients:

LUBRICATING OILS, USED

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	4H LC50	>3.9	mg/l

FUELS, DIESEL

DERMAL	RBT	LD50	>4300	mg/kg
ORL	RAT	LD50	7500	mg/kg
VAPOURS	RAT	LC50	4.1	mg/l

Relevant hazards for product:

Hazard	Route	Basis	
Acute toxicity (ac. tox. 3)	-	Hazardous: calculated	
Skin corrosion/irritation	DRM	Hazardous: calculated	
STOT-repeated exposure	-	Hazardous: calculated	

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

LUBRICATING OILS, USED

FISH	LL50	>100	mg/l

FUELS, DIESEL

ALGAE	72H EC50	22	mg/l
Daphnia magna	48H EC50	68	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

CREOCOTE - LIGHT OR DARK

Page: 7

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3082

14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(FUELS, DIESEL)

14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: |||

14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: Yes

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E
Transport category: 3

Section 15: Regulatory information

CREOCOTE - LIGHT OR DARK

Page: 8

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H332: Harmful if inhaled.

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven

that no other routes of exposure cause the hazard>.

H373: May cause damage to organs <or state all organs affected, if known> through

prolonged or repeated exposure <state route of exposure if it is conclusively proven that

no other routes of exposure cause the hazard>.

H411: Toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.